

SAFETY DATA SHEET

VOXOM

according to Regulation (EC) No 1907/2006 (REACH) as amended

VOXOM MINERALÖL für hydraulische Scheibenbremsen

Creation date	11th April 2016	Version	3.0
Revision date	01st December 2019		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Substance / mixture

VOXOM MINERALÖL für hydraulische Scheibenbremsen mixture

Other mixture names

MINERAL OIL for hydraulic brakes

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

The product is intended for sale to the consumer and the professional/industrial use.

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Distributor

Name or trade name

Sport Import GmbH

Address

Industriestr. 39, Edeweicht, 26188

Phone

Germany

0049440592800

Manufacturer

Name or trade name

Nacházel, s.r.o.



Address

Průmyslová 11/1472, Praha 10 - Hostivař, 10219

Identification number (CRN)

Czech Republic

VAT Reg No

25734458

Phone

CZ25734458

E-mail

222 351 140

Web address

maziva@nachazel.cz

www.nachazel.cz

Competent person responsible for the safety data sheet

Name

Ing. Zdeněk Nacházel

E-mail

ing.zdenek@nachazel.cz

1.4. Emergency telephone number

National Health Service (NHS) 111

National poisoning information centre Scotland, NHS 24: 111 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Asp. Tox. 1, H304

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

May be fatal if swallowed and enters airways.

SAFETY DATA SHEET

VOXOM

according to Regulation (EC) No 1907/2006 (REACH) as amended

VOXOM MINERALÖL für hydraulische Scheibenbremsen

Creation date 11th April 2016
Revision date 01st December 2019 Version 3.0

2.2. Label elements

Hazard pictogram



Signal word

Danger

Hazardous substances

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil – unspecified
Distillates (petroleum), hydrodesulfurized middle

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P102 Keep out of reach of children.

P301+P310 IF SWALLOWED: Immediately call a doctor.

P331 Do NOT induce vomiting.

P501 Dispose of contents/container to be handed over to the person authorized to dispose of waste or by returning to the supplier.

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

This product floats on water and may affect the oxygen balance of water. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 Registration number: 01-2119474889-13	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil – unspecified	≥50	Asp. Tox. 1, H304	1
Index: 649-223-00-0 CAS: 64742-80-9 EC: 265-183-3	Distillates (petroleum), hydrodesulfurized middle	10-25	Carc. 1B, H350	2, 3

Notes

- Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.
- Note N: The classification as a carcinogen need not apply if the full refining history is known and it can be shown that the substance from which it is produced is not a carcinogen. This note applies only to certain complex oil-derived substances in Part 3.
- The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SAFETY DATA SHEET

VOXOM

according to Regulation (EC) No 1907/2006 (REACH) as amended

VOXOM MINERALÖL für hydraulische Scheibenbremsen

Creation date	11th April 2016		
Revision date	01st December 2019	Version	3.0

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

If swallowed

DO NOT INDUCE VOMITING! If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Provide medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Cough, headache.

If on skin

Not expected.

If in eyes

When intruding eyes, it can evoke irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water. Closed containers with the product near the fire should be cooled with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

SAFETY DATA SHEET

VOXOM

according to Regulation (EC) No 1907/2006 (REACH) as amended

VOXOM MINERALÖL für hydraulische Scheibenbremsen

Creation date 11th April 2016
Revision date 01st December 2019 Version 3.0

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale aerosols. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.

Storage class 10 - Other combustible liquids
Content 100ml / 1L
Packaging type applicator / bottle
Material of package PE-HD (2), Polyethylene - high-density, linear (Plastics)



min 0 °C, max 40 °C

Storage temperature

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil – unspecified

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Inhalation	5.4 mg/m ³	Systemic chronic effects	
Consumers	Inhalation	1.2 mg/m ³	Systemic chronic effects	

PNEC

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil – unspecified

Route of exposure	Value	Determining method
Oral	9.33 mg/kg	

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

SAFETY DATA SHEET

VOXOM

according to Regulation (EC) No 1907/2006 (REACH) as amended

VOXOM MINERALÖL für hydraulische Scheibenbremsen

Creation date	11th April 2016		
Revision date	01st December 2019	Version	3.0

Respiratory protection

Mask with a filter against organic vapours in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
physical state	liquid at 20 °C
color	colourless
Odour	characteristic
Odour threshold	data not available
pH	data not available
Melting point/freezing point	≤ -42 °C
Initial boiling point and boiling range	> 280 °C
Flash point	176 °C
Evaporation rate	data not available
Flammability (solid, gas)	data not available
Upper/lower flammability or explosive limits	
flammability limits	data not available
explosive limits	data not available
Vapour pressure	< 0.1 hPa at 20 °C
Vapour density	data not available
Relative density	data not available
Solubility(ies)	
solubility in water	insoluble
solubility in fats	data not available
Partition coefficient: n-octanol/water	> 3
Auto-ignition temperature	> 240 °C
Decomposition temperature	data not available
Viscosity	data not available
Kinematic viscosity	5-15 mm ² /s at 40 °C
Explosive properties	data not available
Oxidising properties	data not available

9.2. Other information

Density	0.825 - 0.835 g/cm ³ at 15 °C
ignition temperature	data not available
content of organic solvents (VOC)	0 %
Gas / vapors heavier than air at 20 °C.	

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under normal conditions.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

The product is stable under normal conditions.

SAFETY DATA SHEET

VOXOM

according to Regulation (EC) No 1907/2006 (REACH) as amended

VOXOM MINERALÖL für hydraulische Scheibenbremsen

Creation date 11th April 2016
Revision date 01st December 2019 Version 3.0

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil – unspecified

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD ₅₀	>5000 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD ₅₀	>5000 mg/kg		Rabbit	
Inhalation	LC ₅₀	5.53 mg/l		Rat (Rattus norvegicus)	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

More information

No toxicological data have been collected directly for this product. The information given is based on knowledge of the components and toxicology of similar substances. Likely route of exposure: ingestion, skin and eyes.

SAFETY DATA SHEET

VOXOM

according to Regulation (EC) No 1907/2006 (REACH) as amended

VOXOM MINERALÖL für hydraulische Scheibenbremsen

Creation date 11th April 2016
Revision date 01st December 2019 Version 3.0

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil – unspecified

Parameter	Value	Time of exposure	Species	Environment
EC ₅₀	>10000 mg/l	48 hour	Daphnia (Daphnia magna)	
NOEL	100 mg/l	21 day	Daphnia (Daphnia magna)	
EC ₅₀	>100 mg/l	72 hour	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
LC ₅₀	>100 mg/l	96 hour	Fishes (Pimephales promelas)	
NOEL	>1000 mg/l	28 day	Fishes (Oncorhynchus mykiss)	

More information

No ecotoxicological data have been collected directly for this product. The information given is based on the knowledge of ingredients and the ecotoxicology of similar substances. This product floats on water and may affect the oxygen balance of water.

12.2. Persistence and degradability

The substance is not biodegradable.

12.3. Bioaccumulative potential

Insignificant.

12.4. Mobility in soil

Contamination of water courses may occur in the event of rain.

12.5. Results of PBT and vPvB assessment

Data not available.

12.6. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils *

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances *

15 01 02 plastic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SAFETY DATA SHEET

VOXOM

according to Regulation (EC) No 1907/2006 (REACH) as amended

VOXOM MINERALÖL für hydraulische Scheibenbremsen

Creation date 11th April 2016
Revision date 01st December 2019 Version 3.0

SECTION 14: Transport information

14.1. UN number

Not subject to ADR

14.2. UN proper shipping name

not available

14.3. Transport hazard class(es)

not available

14.4. Packing group

not available

14.5. Environmental hazards

not available

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

Distillates (petroleum), hydrosulfurized middle

Restriction	Conditions of restriction
28	<p>Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:</p> <p>1. Shall not be placed on the market, or used,</p> <ul style="list-style-type: none">— as substances,— as constituents of other substances, or,— in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: <ul style="list-style-type: none">— either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,— the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. <p>Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:</p> <p>"Restricted to professional users".</p> <p>2. By way of derogation, paragraph 1 shall not apply to:</p> <ul style="list-style-type: none">(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;(b) cosmetic products as defined by Directive 76/768/EEC;(c) the following fuels and oil products:<ul style="list-style-type: none">— motor fuels which are covered by Directive 98/70/EC,— mineral oil products intended for use as fuel in mobile or fixed combustion plants,— fuels sold in closed systems (e.g. liquid gas bottles);(d) artists' paints covered by Regulation (EC) No 1272/2008;(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.

SAFETY DATA SHEET

VOXOM

according to Regulation (EC) No 1907/2006 (REACH) as amended

VOXOM MINERALÖL für hydraulische Scheibenbremsen

Creation date	11th April 2016		
Revision date	01st December 2019	Version	3.0

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H304	May be fatal if swallowed and enters airways.
H350	May cause cancer.

Guidelines for safe handling used in the safety data sheet

P102	Keep out of reach of children.
P301+P310	IF SWALLOWED: Immediately call a doctor.
P331	Do NOT induce vomiting.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC ₅₀	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log K _{ow}	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations

SAFETY DATA SHEET

VOXOM

according to Regulation (EC) No 1907/2006 (REACH) as amended

VOXOM MINERALÖL für hydraulische Scheibenbremsen

Creation date	11th April 2016	Version	3.0
Revision date	01st December 2019		

UVCB Substances of unknown or variable composition, complex reaction products or biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Asp. Tox. Aspiration hazard

Carc. Carcinogenicity

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.